


MD60 / MD65 Remote Small OIM (MDI) Installation Instructions Programador remoto instalación

Model Number MD4ALCD

Instruction Manual D2-3526



IP66 (NEMA Type 4X/12)
Indoor / Interior

Important: Adhesive coated gasket designed for one-time installation.


ATENCIÓN: Junta con capa adhesiva diseñada para solo una fijación-no reutilizable.

MD60 and MD65 are trademarks of Rockwell Automation.

©/2004 Rockwell Automation. All rights reserved.


Rockwell
Automation

Dimensions Dimensiones



Note: The MD4ALCD is smaller than the MD4LCD, and cannot be used as a direct field replacement.


Nota: El MD4ALCD es más pequeño que el MD4LCD, y no se lo puede utilizar como reemplazo directo en el campo.



Approximate scale 1:2

Front View
Vista Frontal

Mount Montado



To contact Drives Technical Support . . .
Tel: (1) 800 726 8111, Fax: (1) 440 646 7364

This document, as well as more information about Reliance Electric products, can be found at www.reliance.com/drives

www.reliance.com

Corporate Headquarters

Reliance Automation, 77 East Wisconsin Avenue, Suite 1400, Milwaukee, WI 53202-3802, Tel: (1) 414 216 6900, Fax: (1) 414 212 7857

Representatives for Dodge and Reliance Electric Products

American Reliance Automation, 2441 Parkside Court, Greenville, SC 29615-4277 USA, Tel: (1) 854 327 4621, Fax: (1) 854 331 2430

Saupe, Ruxwold Automation, Bismarck, ND 58104-5140 USA, Germany, Tel: +49 5205 5281 5412, Fax: +49 5205 17 74

Asia Pacific Reliance Automation, 15 Meyer Road, #1-10 Bowerstown, Singapore 337537, Tel: +65 331 6732, Fax: +65 331 6733

Reliance Electric Stamford Drive Facilities, P.O. Box 240714, Hyattsville Heights, OH 44134-0714 USA, Tel: (1) 603 974 4071, Fax: +603 649 7817

Website: www.reliance.com

(1) 12 54 64 69 00, 1 440 646 7364, 1 800 726 8111, 1 414 216 6900, 1 414 212 7857

PL 4 306294091